

SUNGLOW DASS360 **TOWER SERIES**



SUSTAINABLE



RELIABLE



ECO FRIENDLY





SECURE YOUR SITE

COST SAVINGS

zero fuel consumption
helps lowering the
environmental footprint.



KEY FEATURES

- Adpower Solar Surveillance Towers utilize a Plug-and-Play Supercapacitor-based energy storage module, offering a multitude of advantages compared to traditional chemical batteries
- 100% Green, Noise-Free, Fuel-Less, Emission-Free
- Projected Life up to 25 years
- Runtime up to 6 Days & Nights - 140 Hours of solar charging (with full capacity).
- Mobile Surveillance Towers with 2 X Bullet & 1 X PTZ Cameras and 7m-9m Manual Telescopic Mast, powered using Solar 3 PV Panels
- Adjustable up to 80 degrees to optimize solar exposure and energy capture.
- Features electric operation for effortless adjustment of panel angle to maximize solar efficiency.
- Powder coated towable road worthy trailer
- The solution can be operated between -30 to 85 Degree C .
- The solution Can be used for fully autonomous Mobile Solar Traffic Sign, Mobile Solar light, Mobile Solar Radar Station, Mobile Solar Generator System and many other applications.



CO² NEUTRAL

Zero Carbon Footprint
Over The Life Cycle



COST SAVING

Zero Operating Cost
Quick ROI



EASY OPERATION

Simple DC System
Plug & Play Operation



SUPER-CAP ENERGY STORAGE

CHARACTERISTIC COMPARISON BETWEEN CHEMICAL BATTERIES AND SUPER-CAPS

Attributes	Li-ion	Lead Acid	Super-Cap
Warranty	Limited Warranty Up to 10 years	Up to 3 years	Up to 5 Yrs - No EOL degradation
DC Roundtrip Efficiency	90-80%	70%	Up to 99.1%
Depth of Discharge (DOD)	70-80%	50-60%	100%
Operating Temperature	<50°C	<27°C	<85°C
Charge Current	Limited	Limited	1C – 2C (Up to 10C)


What makes Adpower's Solar Surveillance Towers Different & More Reliable than other Solar Surveillance Towers in the Market.

Adpower implements an innovative supercapacitor-based energy storage solution, utilizing patented power electronics control technology. This groundbreaking approach not only establishes Adpower as an environmentally friendly alternative to traditional chemical batteries but also provides significantly enhanced performance characteristics.

Our energy storage system harnesses the power of electrostatic energy, while conventional batteries rely on electrochemical processes to store energy.

The supercapacitor energy storage solution is entirely free from chemicals, resulting in zero carbon footprints. It boasts the following essential characteristics:

- 100% Depth of Discharge
- Ambient Op. Temperature -30 to 85C
- 1M Cycles (at Cell Level)
- Super fast charging rates
- No Risk of Thermal Runaway
- No Energy produced during Cycling
- No Cooling required



Adpower's Super-cap stores
Energy Electrostatically



Conventional batteries stores
Energy Electro Chemically

TEACHNICAL DATA



SunGlow - DASS360

Type Of CCTV Mounting	Powder Coated Metallic Box
Brand Of Camera	Hikvision
Number Of Cameras	3
Cameras	2 X Bullet - DS-2CD3041G2-LIUFI 1XPTZ - DS-2DE7A432IW-AEB
Indications	1 Alarm 1 horn
Type of Light	1 X 100W LED
Solar Panel	Monocrystalline 3*550W (Tier 1)
Battery Type	6kWh Super-Capacitor
Monitoring	Cloud Recording & Online Monitoring
Battery Capacity	6.1kWh - 24V DC
Charing time 0-100%	6.5 Hours
Working Day	6 Days & Nights - 140 Hours
Charge Controller	MPPT 60A
System Voltage	DC 24V
Designed Wind Speed	100km/h
Mast Materials	Galvanized
Maximum Height	7m
Mast Section	4
Lifting System	Manual Winch & Crank
Trailor Speed	60km/h (Max)
Trailor Type	Single Axel
Tyer And Rim	2*175/65R14
Stabilizers	4*Manual Adjustable Stabilizers
Tow Hitch	70mm Ring
Dimensions	Lx350cm,Wx125cm,Hx295cm
Weight	1365KG



Mobile Solar
Traffic Sign



Mobile Solar
Light Tower



Mobile Solar
Radar Station



Mobile Solar
Generator System