

Dimensions

Dimensions

Length W/ Blade

21.53ft in

Width Over Tracks

7.03ft in

Height To Top Of Cab

12.31ft in

Length Of Track On Ground

10.34ft in

Ground Clearance

1.65ft in

Length W/O Blade

17.72ft in

Undercarriage

Track Gauge

7.03ft in

Standard Shoe Size

22.05in

Number Of Carrier Rollers Per Side

2

Number Of Track Rollers Per Side

7

Track Pitch

9in

Number Of Shoes Per Side

41

Specifications

Engine

Number Of Cylinders

6

Engine Make

2238

Engine Model

S6D155-4

Gross Power

320hp

Power Measured @

2000rpm

Max Torque

1040lb ft

Displacement

1175.4cu in

Torque Measured @

1400rpm

Aspiration

turbocharged

Operational

Operating Weight

76191.8lb

Fuel Capacity

158.6gal

Cooling System Fluid Capacity

43.6gal

Engine Oil Capacity

15.1gal

Powertrain Fluid Capacity

36gal

Final Drives Fluid Capacity

14.6gal

Operating Voltage

24V

Transmission

Transmission Type

TORQFLOW

Number Of Forward Gears

3

Number Of Reverse Gears

3

Max Speed - Forward

7.4mph

Max Speed - Reverse

8.6mph

Hydraulic System

Pump Type

gear type

Relief Valve Pressure

2000psi

Pump Flow Capacity

94gal/min

Standard Blade

Width


13.6ft in

Height

70.5in

Capacity

12.3yd³



Top

